

ENTERGY MISSISSIPPI, INC

Date Filed: April 30, 2010
 Date to be Effective: August 30, 2010
 Docket No.: 2010-UN-183

MISSISSIPPI PUBLIC SERVICE COMMISSION

P.S.C. Schedule No. I-15
 Revised Schedule No. 15, Date: August 30, 2010
 Superseded Schedule No. 15, Date: December 31, 2002
 Schedule Consists of: Three Pages

DIRECTIONAL SECURITY LIGHTING RATE SCHEDULE DSL-12**I. AVAILABILITY**

At points on the Company's existing overhead secondary distribution lines in municipalities in which the Company does a general retail business or in rural areas certified to the Company.

II. APPLICATION

For service to customers contracting for directional security lighting service from flood lighting equipment supplied by the Company. Service is from dusk to dawn. The Company will own, operate, and maintain the overhead service lines and the lighting facilities including lamp replacements. Flood lighting units shall be of standard designs adopted by the Company.

III. NET MONTHLY RATES**A. LUMINAIRES**

<u>TYPE LUMINAIRE / SIZE</u>	<u>RATE KEY</u>	<u>FACILITY TYPE</u>	<u>UNIT PRICE PER LAMP</u>	<u>AVERAGE kWh</u>
<u>HIGH PRESSURE SODIUM</u>				
150 Watt	MS 150WDSL	150W HPS	\$15.89	60
250 Watt	MS 250WDSL	250W-HPS	\$17.59	100
400 Watt	MS 400WDSL	400W HPS	\$22.26	165
1,000 Watt	MS 1000DSL	1000W HPS	\$39.74	380
<u>METAL HALIDE</u>				
320 Watt	MS 320MHD	320W MH	\$18.99	120
1,000 Watt	MS 1000WDS	1000W MH	\$40.87	380

B. POLES AND STANDARDS

<u>FACILITY DESCRIPTION</u>	<u>RATE KEY</u>	<u>FACILITY TYPE</u>	<u>UNIT PRICE EACH</u>
<u>WOOD</u>			
30 foot class 5 wood pole	MS 30FC5DS	30/5 WP	\$4.03
35 foot class 5 wood pole	MS 35FC5DS	35/5 WP	\$4.44
40 foot class 5 wood pole	MS 40FWDSL	40/5 WP	\$5.18
45 foot class 5 wood pole	MS 45FWDSL	45/5 WP	\$5.40
<u>STEEL</u>			
30 foot steel standard pole	MS 30FSDSL	30'SS P71	\$4.37
35 foot steel standard pole	MS 35FSDSL	35'SS	\$8.14
40 foot steel standard pole	MS 40FSDSL	40'SS	\$8.48
45 foot steel standard pole	MS 45FSDSL	45'SS	\$10.34
<u>CONCRETE</u>			
30 foot Type 1 concrete standard installed after 2/1/74 (excluding supply line)	MS 30FCDSL	30/1 CP}74	\$5.51
35 foot Type 1 concrete standard installed after 7/1/80 (excluding supply line)	MS 35FCDSL	35/1 CP	\$6.88
40 foot Type 2 concrete standard installed after 7/1/80 (excluding supply line)	MS 40FCDSL	40/2 CP	\$9.67

(Continued on reverse side)

C. LUMINAIRES CURRENTLY IN SERVICE BUT NOT AVAILABLE TO NEW INSTALLATIONS (1)

<u>TYPE LUMINAIRE / SIZE</u>	<u>RATE KEY</u>	<u>FACILITY TYPE</u>	<u>UNIT PRICE PER LAMP</u>	<u>AVERAGE kWh</u>
<u>HIGH PRESSURE SODIUM</u>				
150 Watt behind meter	XMS 150HPS	150W HPS M	\$15.89	60
400 Watt behind meter	XMS 400HPS	400W HPS M	\$22.26	165
1,000 Watt behind meter	XMS 1KHP	1000W HPSM	\$39.74	380
<u>METAL HALIDE</u>				
400 Watt	MS 400DSL	400W MH	\$23.48	165
400 Watt behind meter	XMS 400MH	400W MH M	\$23.48	165
1,000 Watt behind meter	XMS 1KMH	1000W MH M	\$40.87	380

(1) Not available for new applications after effective date of this Schedule. Existing installations will be maintained until the fixture fails, or lamps are no longer available. Customer may then choose a replacement at the then current monthly rate of the replacement. Photocell or lamp failure will not be considered a fixture failure.

D. POLES AND STANDARDS CURRENTLY IN SERVICE BUT NOT AVAILABLE TO NEW INSTALLATIONS

<u>FACILITY DESCRIPTION</u>	<u>RATE KEY</u>	<u>FACILITY TYPE</u>	<u>UNIT PRICE EACH</u>
<u>WOOD</u>			
30 foot class 7 wood pole installed before 7/1/80 (including supply line)	XMS 30C7WB	30/7 WP{80	\$1.19
30 foot class 7 wood pole installed (including supply line)	XMS 30C7WA	30/7 WP}80	\$3.76
35 foot class 7 wood pole	XMS 35C7WP	35/7 WP}80	\$3.99

E. OTHER

For any facilities not listed above or rearrangement of Company's electric distribution facilities necessary to render service hereunder, an additional charge will be made equal to 2% per month of the cost thereof.

F. ADJUSTMENTS

First - Plus or minus an amount determined in accordance with Company's effective Energy Cost Recovery Rider on file with the Mississippi Public Service Commission. The kWh used in computing the adjustment will be one twelfth (1/12th) of the energy used annually by the units in service at the end of the month.

Second - Plus or minus a percentage adjustment on the pre-tax billing sufficient to compensate Company for any increase in income taxes above the 1993 level or to reduce Customer's billing to adjust for any decrease in any effective income tax rates.

Upon any change in the effective rates of income taxes the Company will file within 30 days the percentage adjustment to be applied for the remainder of the year based on operations for the prior calendar year. Subsequently the percentage adjustment to be applied during a year will be filed with the Commission prior to February 1 of each year and will be based on the prior calendar year's operations. The adjustment will be such percentage as may be necessary to obtain the same after-tax income under the effective tax rates as would have been realized under the income tax rates in effect for the year 1993 without this income tax adjustment.

Third - Plus the applicable proportionate part of any directly allocable tax, impost, or assessment imposed, or levied by any governmental authority, which is assessed or levied against the Company or directly affects the Company's cost of operation and which the Company is legally obligated to pay on the basis of meters, customers, or rates of, or revenue from electric power and energy or service sold, or on the volume of the energy generated, transported, purchased for sale, or sold, or on any other basis where direct allocation is possible.

IV. CONTRACT PERIOD

Month to month unless additional facilities are required or if there are special conditions, in which event the contract period will be not less than two years. Should service be terminated prior to the term of this agreement, the customer will be required to pay the Company an amount equal to the removal cost of the lighting equipment and facilities involved.

V. RESERVATION

The mounting of the flood lighting equipment shall be limited to (1) Company-owned poles at a location below the distribution primary wires if any are on the poles and (2) customer-owned poles, standards, and/or other facilities meeting Company's requirements for safety. The mounting height of the flood lighting equipment shall be such that it can be serviced by Company's service equipment in the area. The flood lighting equipment will not be mounted on customer's building.

Subject to orders of regulatory authorities having jurisdiction and to the provisions of Company's Service Policy currently on file with the Mississippi Public Service Commission. Company will use due diligence to render adequate service but does not obligate itself to make special service calls to make repairs on the directional security lighting installations or to replace lamps. If company experiences excessive lamp replacements or maintenance expense because of vandalism or other causes beyond its control, it reserves the right to discontinue service.